

MAXPEDITION®



XBP™ EXPANDABLE
BOTTLE POCKET
OWNER'S MANUAL

FEATURES

XBP™

Adjustable dual position bungee retention

Upper zipper garage

Refined construction with elegant inlays

Fits most bottles including the 32oz Nalgene widemouth bottle

Expandable design yet low profile when closed

Lower zipper garage

Bottom drainage grommet

Exterior paracord loop

Rear zippered pocket

Positive grip zipper pull

TPU-840D nylon composite attachment backing

Includes two (2) PJC5 polymer joining clips



XBPBLK
Black

XBPGRY
Gray

XBPTAN
Tan

Model XBP

Overall CLOSED:
3.5 x 3.5 x 9 in | 8.9 x 8.9 x 22.9 cm

Overall OPEN:
3.5 x 4.5 x 9 in | 8.9 x 11.4 x 22.9 cm



Teflon® is a registered trademark of The Chemours Company FC, LLC, used under license by Maxpedition

MAXPEDITION

FEATURES - FRONTAL

XBP™



1
Fits most bottles including the 32oz Nalgene widemouth bottle

2
Expandable design yet low profile when closed

3
Adjustable dual position bungee retention

4
Refined construction with elegant inlays

5
Upper and lower zipper garages

FEATURES - REAR

XBP™



Exterior paracord loop




Rear zippered pocket



Positive grip zipper pull



TPU-840D nylon composite attachment backing



Includes two (2) PJC5 polymer joining clips



Bottom drainage grommet



ATTACHMENT LATTICE SYSTEM - ATLAS™

ATLAS™ panels, which are cut from an ultra-tough 840-Denier Nylon-TPU composite, can be used for easy attachment of MOLLE-compatible pouches. The composite material is resistant to water, weather, heat, cold, UV and abrasion.


TO ATTACH ACCESSORIES USING THE TACTIE® POLYMER JOINING CLIPS:



1 Slide the clip through attachment backing of the pouch until head catches, then insert tail under the first row on the pack/garment.



2 Weave the tail back through the next row on the pouch.



3 Weave the tail through the next row on the pack/garment.



4 Repeat weaving process as needed depending on the length of the clip.



5 Insert the tail under the bridge, making sure both the tab and the tooth have both clicked into place.



6 Maximum strength and security are achieved when the pouch and the pack/garment are fully interwoven.



TWO (2) TACTIE® PJC5 POLYMER JOINING CLIPS ARE INCLUDED FOR MODULAR ATTACHMENT.

Additional polymer joining clips may be purchased in packs of six (6).



ADJUSTABLE DUAL POSITION BUNGEE RETENTION

There are 2 height positions, marked "1" and "2". To change the height position of the bungee cord, untie the bungee cord in the rear pocket. Remove the cord lock by pressing down and sliding off the bungee cord. Remove the bungee cord from the holes provided, then slide the ends through the holes at new position. Press down on the cord lock and feed the ends of the bungee cord into the lock to put it back into place. Tie the ends of the bungee cord to secure it.



EXPANDABLE BOTTLE POCKET WITH DUAL ZIPPER GARAGES

The bottle pocket has been designed to fit water bottles, including the 32 oz. Nalgene bottle.

To open the bottle pocket, slide the zipper down. Slide the zipper pull into the lower zipper garage to keep it from dangling and making noise. Place the bottle into the pocket then pull the bungee cord over the top of the bottle. If more bungee cord is needed to secure the bottle, go into the rear pocket and move the cord lock to a new position.

To compress the bottle pocket, remove any objects, then fold in the buckle and fabric gusset. Remove the zipper pull from the lower garage and slide the zipper up. Insert the zipper pull into the upper garage to keep it from dangling and making noise.

FUNCTIONS

XBP™

REAR ZIPPERED POCKET

A rear pocket is provided to house the bungee cord and cord lock. The pocket can also be used for extra storage.



POSITIVE GRIP ZIPPER PULL

The positive grip zipper pull is designed to fit a finger in order to get a better grip when opening/closing zippers. They also allow you to grab them from any direction and get a positive grip.



SUBTLE HEXAGON PATTERN FABRIC

The inside is lined with a gray 420-Denier nylon fabric. The fabric is heat-embossed with a light tessellated hexagon pattern and can only be seen in certain angles of light. This serves as an anti-counterfeit measure so you know you are getting a genuine Maxpedition® product. To check for the hexagon fabric, open the main compartment of the pack. Slowly move the pack back and forth so that different angles put lighting on the fabric. If the hexagons cannot be seen in the fabric, it is not a genuine Maxpedition® product.



EXTERIOR PARACORD LOOP

An exterior paracord loop is available as an attachment point.

UPPER AND LOWER ZIPPER GARAGES

Insert zipper tabs by sliding them into the zipper garages. This keeps the zipper from making noise and for extra security.



CARE TIPS

GENUINE YKK® ZIPPERS AND ZIPPER TRACKS

- To increase the longevity of the YKK® zippers and tracks:
- Zippers should be kept away from directly striking hard objects (e.g. stones etc.).
 - Avoid improper treatment of the painted (coated) zippers, such as direct striking, scratching, or wearing against hard objects.
 - Do not apply strong or high concentrations of bleaching agents.
 - Do not forcibly close a zipper in a bag that has been overfilled.
 - If a slider is caught on thread or cloth, do not free the slider by force. Pull the slider back, removing the trapped thread or cloth. When the slider bites deeply into cloth, do not force it back but work it back gently.



CLEANING INSTRUCTIONS

- After each trip, thoroughly clean your pack.
- Rinse your pack with fresh water if dirt, sweat, salt and stains have worked their way into fabrics, webbing or mesh.
- To clean, simply wipe down with a damp cloth and allow the gear to dry naturally in a well-ventilated area out of direct sunlight.
- Do not machine wash.
- Do not use detergent or bleach on fabrics or webbing.
- Clean the zippers using a mild soap, warm water and a soft brush. Flush water and soap through the buckles. Keeping dirt and debris out of the zippers and buckles will help keep them in proper working condition.

COMPONENTS & MATERIALS




TacTie® Polymer Joining Clips
U.S. and Int'l Patents Pending



Exterior Paracord Loop



Dual Nylon Fabric Construction
500D Hex Ripstop/
1000D Plain Weave




TPU-840D Nylon Composite
Attachment Backing



YKK® Zippers with Positive
Grip Zipper Pull



Refined Construction with
Elegant Inlays



Anti-counterfeit Logo
Embossed 420D Nylon Liner

CONTACT

Phone: 310.768.0098
 Fax: 310.515.5950
 General: Info@Maxpedition.com
 Customer Service: CS@Maxpedition.com
 Government: Gov@Maxpedition.com
 Wholesale: Dealer@Maxpedition.com

CONNECT

Maxpedition.com
www.Facebook.com/Maxpedition
www.Twitter.com/Maxpedition
www.Maxpedition.TV
www.Instagram.com/Maxpedition
www.MaxpeditionInAction.com

DISCLAIMER

Maxpedition will not be held responsible for typographical errors, technical inaccuracies, or omissions. It is the responsibility of the customer to determine the suitability of Maxpedition products for use in his/her particular application, to follow all firearms safety rules, and to abide by all applicable laws.

IP


Maxpedition stylized font and footprint logo, Maxpedition word mark, Gearslinger, Versipack, Rollypoly and TacTie are federally and/or internationally registered trademarks of Edygear Inc. Products depicted in this catalog are protected by U.S. or international patents and/or patents pending.



Copyright © 2016 Edygear Inc. All Rights Reserved.



MAXPEDITION®



XBP™ EXPANDABLE
BOTTLE POCKET

AGR™ ADVANCED
GEAR RESEARCH